

भारतीय प्रबंध संस्थान रोहतक) प्रबंध शहर, एन एच-10, दक्षिणी बाई पास, सुनारिया, रोहतक, हरियाणा-124010 (फोन :01262-228551

OPEN TENDER ENQUIRY

प्रस्ताव के लिए अनुरोध

REQUEST FOR PROPOSAL

Invitation of online Bids for "Onsite Modification Work of 23 Nos. Hostel Rooms at Indian Institute of Management, Rohtak" Title of TENDER No. IIM-R/Civil/FY 2024-25/OTE/P-124 T Dated: 29/03/2025.

Estimated Cost of Tender is Rs. 34,32,725.00/-

Processing fee: Rs.5900/- (Rupees. Five Thousand Nine Hundred only), Compulsory & Non-refundable in all cases) and EMD of Rs. 68,654.00. /- should be submitted online (IMPS/NEFT/RTGS) to Acct. No. 252201000421, Bank-ICICI Bank, IIM Rohtak Branch, IFSC-ICIC0007244, in favor of "Indian Institute of Management Rohtak" (a proof should be attached as scanned copy along with technical bid).

Last date and time for online submission of Bids is 2:00 PM on 22.04.2025

Tender documents/softcopies duly filled and signed using Black/ Blue color ink on all pages by Auth. Signatory/Proprietor with company's seal stamped on each page must be submitted online on Tender wizard's website (https://www.tenderwizard.com/iim-rohtak/) positively before closing date/time as mentioned in the tender document,.

TABLE OF CONTENTS

Section	Title	Page No.
1.	Notice Inviting Tender	3-4
2.	Instruction to Bidders	5-8
3.	General Conditions of contract	9-13
4.	Special Conditions of Contract	14-16
5.	Agreement	17
6.	Format of Bid Format	18
7.	Format of Performance Bank Guarantee (PBG)	19
8.	Pledge of Compliance	20
9.	Bid Security Declaration	21
10.	Approved Make	22-28
11.	Bill of Quantity /Price bid Schedule Annexure A	29-34

Section 1 NOTICE INVITING TENDER

Online bids /tenders are invited for Onsite Modification Work of 23 Nos. Hostel Rooms at Indian Institute of Management,
 Rohtak. Online bids must be submitted on Tender wizard's website (https://www.tenderwizard.com/iim-rohtak/
 Summary of important dates and details

Sl.no	Informatio	Important
1	Date of Publishing/Hosting of Tender	29.03.2025
2.	Date/Time of closing of Tender submission	22.04.2025 Up to 2:00 PM
3.	Date/Time of Opening of Bids	22.04.2025 at 3: 00 PM
4.	Processing Fee	Rs.5900.00 (Rs. Five Thousand Nine Hundred only) in the form of (IMPS/NEFT/RTGS in to Acct. No.252201000421, Bank-ICICI Bank, IIM Rohtak Branch, IFSC- ICIC0007244 in favor of "Indian Institute of Management Rohtak .Bidders registered under MSE having Valid MSE Certificate (under Manufacturing /Service category) are exempted towards processing fee Rs.5900.00.
6.	Bid security/EMD(Earnest Money Deposit)	Rs. <u>68,654.00</u> (Rs. Sixty-Eight Thousand Six Hundred fifty-four) [2% (Two percent) of the estimated cost in favour of "Indian Institute of Management Rohtak", payable at Rohtak or should be submitted online (IMPS/NEFT/RTGS) in Acct. No.252201000421, Bank-ICICI Bank, IIM Rohtak Branch, IFSCICIC0007244 in favour of "Indian Institute of Management Rohtak. Bidders registered under MSE having Valid MSE Certificate (under Manufacturing /Service category) are exempted from Paying earnest Money on submitting documentary evidence and bid security declaration as per enclosed format on GCC Page No 21."
7.	Estimated Tender Value (In Rs.)	Rs.34,32,725.00/- (Rupees Thirty Four Lakh Thirty Two Thousand Seven Hundred Twenty-five Only) Including GST.
8.	Period of validity of Tender/Bids	Minimum 90 days from closing date.
9.	Place of online Bid opening through Tender Wizard	Room No.101 (First Floor), Administrative block of IIM Rohtak (New Campus at Sunaria, Rohtak, Haryana PIN - 124010).
10.	Completion of work /Duration of work	45 Days_from the date of issue of Work order.
11.	Last date for receipt of Bid queries	16.04.2025 (upto17:00 hrs. IST)

2. Bidder may submit queries online on email ID- <u>project.office@iimrohtak.ac.in</u> before 6 working days of Last date of submission.

3. Brief of Work: -

Aluminum glazing partition work, dismantling kota and granite flooring, wall tile and tile flooring, sanitary fitting and electrical work.

4. <u>Eligibility Criteria: -</u>

- 3.1 Bidder should have experience of having successfully completed similar work during the last 7 years ending 31st Dec 2024 should be either of the following: -
- 3.2 One similar work orders costing not less than Rs 27,46,180.00 /-

Or

3.3 Two similar work orders each costing not less than Rs 17,16,362.00/-

Or

3.4 Three similar work orders each costing not less than Rs 13,73,090.00/-

(Similar works means (i) Construction of building /Renovation/repair work of Govt Educational Institution or state/central Government Educational Institution or offices/PSU/Autonomous Educational Institution / listed firm in NSE or BSE stock exchange (a proof of listing in stock exchange shall be attached / provided by the bidder with Valid Certificate). (ii) Components of works executed other than those included in definition of similar work shall be deducted while calculating cost of similar work. Bidder shall submit abstract of cost of work in support of this. (iii) The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of receipt of applications (Please submit copy of Work order and Completion Certificate from the Client). The Tenderer should upload the scanned and signed copies of NIT along with following Technical Bid documents.3.2.1. Bidder should not have been blacklisted by any State/Central Government Department/Autonomous Bodies or PSU. The bidder must submit a duly notarized affidavit tothis effect. Applications received without affidavit in original shall stand automatically rejected. The Bidder will be required to give an undertaking that it would comply with all statutory laws and compliances, including those applicable to the sub-contractors appointed by him and indemnify the Institute of all implications and consequences resulting from any non-compliances due to any reasons whatsoever

- 3.2.2 The Bidder should submit active GST Registration Certificate & PAN no.
- 3.2.3 The Bidder should be registered in ESI & PF authority, if applicable (submit copy of Registration Certificate)
- 3.2.4 Self-attested copies of work Orders and Client's Satisfactory work completion Certificates in support of qualification criteria given in Para 3.1 above
- 3.2.5 Average annual financial turnover (gross) during last three years ending on 31 Mar 2024 should be at least of Rs. 10,29,817.00. A copy of turnover statement (For 03 Years ending 31 .03.2024) duly certified by CA with UDIN No to be submitted with techno commercial offer.
- 3.2.6 Audited Balance Sheet along with Profit & Loss Statement of latest three financial years as on ending 31st March 2024 duly certified by CA with UDIN No.
- 3.2.7 EMD amount as specified in this tender document. No tender will be considered which is not made in the prescribed term and which is not accompanied by EMD.
- 3.2.8. Profitability: The Bidder should be a Profit (Net) making firm and should have made profit during past 3 Financial Years ending 31st March 2024 for which balance sheets, duly certified by the Chartered Accountant, are available.
- 3.2.9 Specialized Firms / Contractors who fulfill the following requirements shall only be eligible to apply.

 Applications from Joint ventures or consortium of companies will not be accepted or considered for participation.
- **3.2.10 Successful bidders should** submit solvency certificate of Rs. 14.00 (Fourteen Lakhs) of any nationalized bank after award of work.
- 4. This Tender is divided into five Parts as follows:
 - **a. Part I** Contains General Information and Instructions for the Bidders about the TENDER such as the time, place of submission and opening of tenders, validity period of tenders, etc.
 - b. Part II Contains essential details of the items/services required, such as the Schedule of Requirements (SOR), Technical Specifications, Delivery Period, Mode of Delivery and Consignee details.
 c. Part III Contains Standard Conditions of tender, which will form part of the Contract with the successful bidder.
 - **d. Part IV** Contains Special Conditions applicable to this tender and which will also form part of the contract with the successful Bidder.
 - **e. Part V** Contains Evaluation Criteria and Format for price bids

5. This Tender is being **issued with no financial commitment** and IIM Rohtak (the Institute hereafter) reserves the right to change or vary any part thereof at any stage. Institute **also reserves the right to withdraw** the tender, should it become necessary at any stage.

Section 2 - General Instructions to bidders.

1. Last date and time for depositing the bids: Tenders have to be submitted online before 22.04.2025 Up to 2:00 PM (Date to be mentioned in terms of DD MM YEAR) bid processing fee must be deposited/uploaded online by the due date and time as given above online. The responsibility to ensure this lies with the Bidder.

2. Manner of submission of bids: -

Bids should be submitted online on Tender wizard's website: https://www.tenderwizard.com/iim-rohtak/) at the URL given above so as to reach by the due date and time. Late tenders/submission of bids will not be considered for evaluation. No responsibility will be taken for postal delay or non-delivery/non-receipt of Bid documents. Bids sent by Fax or E-mail will not be considered (unless they have been specifically called for by these modes due to urgency). No bids/tender will be considered if bids are not submitted online.

2.1 On-Line Submission

The On Line Submission will have the following activities:

- i) Submission of digitally signed copy of Tender Documents/ Addendum
- ii) Submission of Acceptance/Rejection of General Terms & Conditions
- iii) Submission of Acceptance/Rejection of Special Terms & Conditions
- iv) Submission of EMD Security Declaration
- v) Submission of **Technical Part** as under:
 - Submission of Electronic Form (Mandatory)
 - Submission of Main Bid (Mandatory)
 - Submission of Bid Annexure (Mandatory)

Technical Part must contain the following which is required to be submitted in the Main Bid/Bid Annexure:

- a) Scanned copy of the complete tender document duly signed and stamped on each page confirming the acceptance of terms and conditions in totality laid down by IIM Rohtak.
- b) Duly filled in Bidder details Form as per Para 7 of Section 2.
- c) Statement showing Clause by Clause Compliance to all Terms & Conditions of all the Sections of the Tender
- d) Scanned copy of Documentary Evidence of Eligibility Criteria
- e) Technical Offer
- f) Data Sheet
- g) Product Brochure
- h) Any other supporting documents the bidder wishes to submit as a part of Technical Offer

Submission of Financial Part as under:

- i) Submission of Electronic Form (Mandatory)
- j) Submission of Main Bid (Mandatory)
- k) Submission of Bid Annexure (Mandatory)

2.2 Special Note on Security of Bids

Security related functionality has been rigorously implemented in ETS in a multi- dimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software. Specifically, for Bid Submission, some security related aspects are outlined below:

As part of the Electronic Encrypted[™] functionality, the contents of both the 'Electronic Forms' and the 'Main-Bid' are securely encrypted using a Pass-Phrase created by the Bidder himself. Unlike a 'password', a Pass-Phrase can be a multi-word sentence with spaces between words (e.g. I love this World). A Pass-Phrase is easier to remember, and more difficult to break. It is recommended that a separate Pass-Phrase be created for each Bid-Part.

Typically, 'Pass-Phrase' of the Bid-Part to be opened during a particular Online Public Tender Opening Event (TOE) is furnished online by each bidder during the TOE itself, when demanded by the concerned Tender Opening Officer. A bid cannot be opened without a correct Pass-Phrase.

It may also be noted that if a bidder fails to furnish the correct Pass-Phrase during the TOE of Technical Part, the bid shall be rejected. If the bidder fails to furnish the correct Pass Phrase during the TOE of Financial Part, the bid shall be liable to be rejected.

There is an additional protection with SSL Encryption during transit from the client-end computer of a Contractor organization to the e-tendering server/ portal.

Online Public Tender Opening Event (TOE)

2.3 E-tendering Mode only through E Tenderding portal (https://www.tenderwizard.com/iim-rohtak)

ETS offers a unique facility for 'Online Public Tender Opening Event (TOE)'. Tender Opening Officers as well as authorized representatives of bidders can attend the Online Public Tender Opening Event (TOE) from the comfort of their offices.

Every legal requirement for a transparent and secure 'Online Public Tender Opening Event (TOE)' has been implemented on ETS.

As soon as a Bid is decrypted with the corresponding 'Pass-Phrase' as submitted online by the bidder himself (during the TOE itself), salient points of the Bids are simultaneously made available for downloading by all participating bidders. The tedium of taking notes during a manual 'Tender Opening Event' is therefore replaced with this superior and convenient form of 'Online Public Tender Opening Event (TOE)'.

ETS has a unique facility of 'Online Comparison Chart' which is dynamically updated as each online bid is opened. The format of the chart is based on inputs provided by IIM ROHTAK for each Tender. The information in the Comparison Chart is based on the data submitted by the Bidders. A detailed Technical and/ or Financial Comparison Chart enhances Transparency. Detailed instructions are given on relevant screens.

ETS has a unique facility of a detailed report titled 'Minutes of Online Tender Opening Event (TOE)' covering all important activities of 'Online Tender Opening Event (TOE)'. This is available to all participating bidders for 'Viewing/ Downloading'.

2.4 Other Instructions

For further instructions, the Bidder should visit the home-page of the portal

(https://www.tenderwizard.com/iim-rohtak) and go to the User-Guidance Center the help information provided through 'ETS User-Guidance Center' is available in three categories — Users intending to Register / First-Time Users, Logged-in users of Buyer organizations, and Logged-in users of Contractor organizations. Various links are provided under each of the three categories.

<u>Important Note</u>: It is strongly recommended that all authorized users of Contractor organizations should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups, and minimize teething problems during the use of ETS.

The following 'FOUR KEY INSTRUCTIONS for BIDDERS' must be assiduously adhered to:

- i) Obtain individual Digital Signature Certificate (DSC or DC) well in advance of tender submission deadline on FTS
- ii) Register your organization on ETS well in advance of tender submission deadline on ETS
- iii) Get your organization's concerned executives trained on ETS well in advance of tender submission deadline on ETS
- iv) Submit your bids well in advance of tender submission deadline on ETS (There could be last minute problems due to internet timeout, breakdown, etc.) While the first three instructions mentioned above are especially relevant to first-time users of ETS, the fourth instruction is relevant at all times.
 - 3. Time and date for opening of bids: 22.04.2025 at 3:00 PM (If due to any exigency, the due date for opening of the bids is declared a closed holiday, the bids will be opened on the next working day at the same time or on any other day/time, as intimated by the Buyer).
 - **4. Location of Work: Indian Institute of Management Rohtak at Management City, NH-10 Southern Bypass, Sunaria, Rohtak, Haryana-** 124010.
 - 5. Opening of the Bids: through Tender Wizard: (https://www.tenderwizard.com/iim-rohtak).
 - **6. Two bid system- Yes,** Bids have to be submitted in online consisting Technical bid and Commercial Bid, and would be opened on the time and date mentioned above. Bids/tenders of only those firms will be evaluated, which are found compliant/suitable after the buyer's duly appointed tender committee does technical-commercial evaluation. Technical Bids will be evaluated first. Commercial Bids of only technically qualified bidders' will be opened.
 - 7. Submission of bidder details form Bids with all supporting documents should be submitted by bidders on their original memo/letter pad inter alia furnishing details like GST number, Bank address with NEFT Account if applicable, etc. and complete postal & e-mail address of their office with all self- attested/signed copies of relevant document proving their credentials including audited balance sheets (as asked/mentioned below) and with Bid Security, processing fee as direct deposit as well in a scanned copy in online with technical bid, positively before closing date/time as mentioned on tender document.

Bids should be submitted online on Tender wizard's website (https://www.tenderwizard.com/iim-rohtak/

SI.	Information required	Details to be furnished by the proposer/bidder (Please upload/attach self-attested supporting documents as filled in below to prove your credentials)
01.	Name of Firm	
02.	Nature/name of business	
03.	Shop/Company Act. registration no & date of reg.	
04.	Registered office address	
05.	Phone of Registered office	
06.	Other offices address with Cont. No./Person Name	
07.	Website/Email ID of Firm	
08.	Name of Proprietor/Managing Director	

09.	Contact no of Proprietor/Managing Director		
10.	PAN No. of Firm/Proprietor		
11.	GST registration no. of Firm if applicable		
12	Firm's Bank account/NEFT details with IFS Code (attach ECS mandate or copy of cheque)		
13.	Annual Turnover of the company in Rupees (Please attach proof/audited balance sheet copies of previous three financial years certified by CA with UDIN.	FY 2022-2023 (In Rs.)	FY 2023-2024 (In Rs.)

- 8. Clarification regarding contents of the tender: A prospective bidder who requires clarification regarding the contents of the bidding documents shall notify to the Buyer in writing about the clarifications sought not later than 6 (six) days prior to the date of opening of the Bids. Reply to the queries and their clarification by the purchaser will be updated on www.iimrohtak.ac.in and www.eprocure.gov.in, Tender wizard's website (https://www.tenderwizard.com/iim-rohtak/ only; all interested parties/bidders are required to visit the given websites on regular intervals for latest updates/developments.
- 9. Modification and Withdrawal of Bids: A bidder may modify or withdraw his bid after submission provided that the written notice of modification or withdrawal is received by the Buyer prior to deadline prescribed for submission of bids. A withdrawal notice may be sent by fax but a signed confirmation copy to be sent by post should follow it and such signed confirmation should reach the purchaser not later than the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid can be withdrawn in the interval between the deadline for submission of bids and expiration of the period of bid validity specified. Withdrawal of a bid during this period will result Blacklisting of the vendor for a minimum 3 years and forfeiture of EMD.
- **10. Clarification regarding contents of the Bids:** During evaluation and comparison of bids, the Buyer may, at its discretion, ask the bidder for clarification of his bid. The request for clarification will be given in writing and no change in prices or substance of the bid will be sought, offered or permitted. No post-bid clarification on the initiative of the bidder will be entertained.
- 11. Rejection of Bids: Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with blacklisting of the bidder. if applicable. Conditional tenders will be summarily rejected and forfeiture of EMD.
- **12. Unwillingness to quote:** Bidders unwilling to quote should ensure that intimation to this effect reaches before the due date and time of opening of the Bid, failing which the defaulting Bidder may be delisted for the given range of items as mentioned in this tender (If applicable).
- 13. Validity of Bids: The Bids should remain valid for minimum 90 days from the last date of submission of the Bids.
- 14. INSTITUTE'S RIGHT TO VARY QUANTITIES /DEVIATION /EXTRA ITEMS
- 14.1 The Institute reserves the right at the time of award of the contract to increase the quantity of the goods and services specified in the schedule of requirements without any change in unit price of the ordered quantity. As per CPWD Manual agreement addition /alternation quantity of items of work to be executed beyond which rates are to be determined in accordance as per CPWD clauses 25 % (Twenty-Five percent) of each item which is the part of schedule of quantity mentioned in BOQ.
- 14.2 In case of division of order among number of parties. The distribution of quantity will be accordingly done by the Institute on an individual tender.
- 14.3 Extra substituted and deviated items of the schedule of quantity to be paid to the contractor as per the latest CPWD Specification and DAR at time of final bill with variation statement with justification (including Extra items) with List index if any.
- 15. INSTITUTE'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS

The Institute does not bind himself to accept lowest or any other tender/bid and has the right to cancel the bidding process and reject all bids at any time prior to award of the contract without assigning any reasons whatsoever and without thereby incurring any liability to the affected bidder on the grounds for the Institute's action.

16. ISSUE OF LETTER OF INTENT / AWARD

The issue of Letter of award shall constitute the intention of the Institute to place the work Order with the successful bidder. The date of commencement of work shall be reckoned from 3th day after the date of issue of award letter.

17. The bidder shall within 15 days of issue of Letter of Intent give its acceptance along with Performance Guarantee in conformity with the bid documents.

18. CANCELLATION OF LETTER OF INTENT /WORK ORDER

Failure of the successful bidder to comply with the requirement of submission of Performance Guarantee in time shall constitute sufficient ground for the cancellation of the acceptance of bid and forfeiture of the bid bond, in which case Institute may make the offer to any other bidder at the discretion of the Institute or call for new bids.

19. POST BID CLARIFICATIONS: - No post bid clarification at the initiative of the bidders shall be entertained and any effort by the bidders to influence the Institute in the Institute's bid evaluation, bid comparison or award of the contract shall result in rejection of the bid.

20. COMPLETION

Completion of the work shall be made by the Contractor in accordance with the terms specified by the Institute in the **NOTICE INVITING**TENDER of the contract and goods shall remain at the risk of the Contractor until completion have been completed in full. The Schedule of completion shall be the essence of the contract.

Section III – General / Standard Conditions of contract (Part I & II)

1. PRICE APPLICABILITY

Prices in the work Order shall remain valid for the period of completion schedule or extended completion schedule or till the work is completed. In case of delayed supplies, after completion period, the advantage of reduction of taxes/duties shall be passed onto the Institute and no benefit of increase will be permitted to the Contractor.

2. STANDARDS: -

The Electrical Materials supplied under the contract shall conform to the standards mentioned in the Technical Specifications in the NIT and CPWD specifications as applicable.

3. PATENT RIGHTS

The Contractor shall indemnity the Institute against all third party actions/claims of infringement of patent, trademark or industrial design rights arising from the use of goods or any part thereof.

4. PERFORMANCE SECURITY

- 1. Within 15 days of the Contractor's receipt of Letter of Intent (LOI), the Contractor shall furnish a Performance Security for the amount specified in special condition of the tender in the form of a Bank Guarantee issued by a schedule Bank from its branch in Delhi/Delhi NCR /Rohtak in the prescribed format given in this tender.
- 2. The proceeds of the Performance Security shall be payable to the Institute as compensation for any loss resulting from the Contractor's failure to complete its obligations under the contract.
- 3. The Performance Bond shall be in the form of bank guarantee issued by a scheduled bank situated in India and the form provided by the Institute.
- 4. The Performance Guarantee will be discharged by the Institute after completion of the work as per contract agreement.
- 5. As regards validity of PBG, please refer to Special Conditions of the contract (Section-4).

5. INSPECTION AND TESTS

5.1 The Institute or its representatives or ultimate client shall have the right to inspect and test the Materials for their conformity to the specifications. The Institute may also appoint an agency for this purpose. The technical specifications shall specify what inspection and tests the Institute requires and where they are to be conducted. Where the Institute decides to conduct such tests on the premises of the Contractor, all reasonable facilities and assistance like testing instruments and other test gadgets including access to the drawings and production data shall be furnished

to the Inspector free of costs. In case the tested goods Fail to confirm to the specifications, the Inspector may reject them and the Contractor shall either replace the rejected Materials or make alteration necessary to meet the specifications requirements free of cost to the Institute.

- 5.2 Notwithstanding the pre-supply tests and inspections, the material on receipt in the Institute's premises shall also be tested and if any material or part thereof is found defective, the same shall be replaced free of cost to the Institute. If any material before it is taken over is found defective or fails to fulfil the requirements of the contract, the Inspector shall give the Contractor notice setting forth details of such defects or failures and the Contractor shall make the material good or alter the same to make it comply with the requirements of the contract and in any case within a period not exceeding 2 months of the initial report. These replacements shall be made by the Contractor, free of the all charges, at the site(s).
- 5.3 As regards Inspecting Authority and other details please refer to Special Condition of the Contract (Section-4).
- 6. Warranty contract period/Defect liability period Minimum one year from successfully completion of work as per work completion date issued by Engineer –In- Charge by the Institute and maintenance certificate issued by the institute after completion of DLP.
- 7. Delivery and Transportation At supplier/Seller/Service provider's expense.
- 8. Delivery location Indian Institute of Management Rohtak (Management City, NH-10 Southern Bypass, Sunaria, Rohtak, Haryana PIN 124010)
- 9. Consignee details Indian Institute of Management Rohtak (Management City, NH-10 Southern Bypass, Sunaria, Rohtak, Haryana PIN 124010)

Part II - Standard Conditions of Tender

The Bidder is required to give confirmation of their acceptance of the Standard Conditions of the Request for Proposal mentioned below on their original letter head which will automatically be considered as part of the Letter of Award/Contract concluded with the successful Bidders (i.e. Seller/Seller/Service provider in the Contract) as selected by the Buyer. Failure to do so may result in rejection of the Bid submitted by the Bidder.

- 1. Law: The Contract shall be considered and made in accordance with the laws of the Republic of India. The contract shall be governed by and interpreted in accordance with the laws of the Republic of India, subject to Rohtak jurisdiction.
- 2. Effective onsite delivery period (Against each issued purchase/demand order): 45 days from work order issue or demand date and shall remain valid until the complete obligations by both the parties under the purchase order/agreement/contract. The deliveries, supplies, installation and performance of the items/services shall commence from the effective date of the purchase order issue date.
- 3. Arbitration: In the event of any dispute/difference/question (referred to as "dispute" hereinafter) between the IIM Rohtak and the contracting agency/seller out of or in any way concerning this contract in respect of any matter, which cannot be settled mutually, shall within 30 days from the date one party informs the other in writing that such a dispute exists, be referred to the conciliator appointed by the Director IIM Rohtak or any other competent authority of the institute. The conciliator shall give written decision within 28 days of receipt of a notification of dispute. The conciliator shall be paid per seating basis and the cost (fee, transport charges etc.) of conciliator shall be borne equally by both the parties. In case decision of conciliator is disputed by either of the parties, it may request to the Director IIM Rohtak to appoint an Arbitrator within 28 days of the written decision of the conciliator. If neither party refers the dispute (s) for arbitration within the aforementioned 28 days, the conciliator's decision shall be final and binding. Otherwise the dispute shall be referred to the Arbitrator appointed by the Director IIM Rohtak or any other competent authority of the institute for settlement of the dispute in accordance with the provisions of the Arbitration and Conciliation Act, 1996.
- 4. Penalty for use of Undue influence: The seller/Seller/Service provider undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the Buyer or otherwise in procuring the order/contracts or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of the present order/contract or any other Contract with the Government of India for showing or forbearing to show favour or disfavour to any person in relation to the present Contract or any other Contract with the Government of India. Any breach of the aforesaid undertaking by the seller/Seller/Service provider or any offers by the seller/Seller/Service provider or anyone employed by him or acting on his behalf (whether with or without the knowledge of the seller/Seller/Service provider) or the commission of any offers by the seller/Seller/Service provider or anyone employed by him or acting on his behalf, as defined in Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1986 or any other Act enacted for the prevention of corruption shall entitle the Buyer to cancel the contract and all or any other contracts with the seller/Seller/Service provider and recover from the seller/Seller/Service provider the amount of any loss arising from such cancellation. A decision of the Buyer's/Competent Financial Authority (CFA) or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the seller/Seller/Service provider. Giving or offering of any gift, bribe or inducement or any attempt at any such act on behalf of the seller/Seller/Service provider towards any officer/employee of the Buyer or to any other person in a position to influence any officer/employee of the Buyer for showing any favour in relation to this or any other contract, shall render the seller/Seller/Service provider to such liability/ penalty as the Buyer ma
- 5. Agents / Agency Commission: The Seller/Service provider confirms and declares to the Buyer that the Seller/Service provider is the original manufacturer of the services/products referred to in this Contract and has not engaged any individual or firm, whether Indian or foreign whatsoever, to intercede, facilitate or in any way to recommend to the Government of India or any of its functionaries, whether officially or unofficially, to the award of the contract to the Seller/Service provider; nor has any amount been paid, promised or intended to be paid to any such individual or firm in respect of any such intercession, facilitation or recommendation. The Seller/Service provider agrees that if it is established at any time to the satisfaction of the Buyer that the present declaration is in any way in corrector if at a later stage it is discovered by the Buyer that the Seller/Service provider has engaged any such individual/firm, and paid or intended to pay any amount, gift, reward, fees, commission or consideration to such person, party, firm or institution, whether before or after the signing of this contract, the Seller/Service provider will be liable to refund that amount to the Buyer. The Seller/Service provider will also be debarred from entering into any supply Contract with the Government of India for a minimum period of five years. The Buyer will also have a right to consider cancellation of the Contract either wholly or in part, without any entitlement or compensation to the Seller/Service provider who shall in such an event be liable to refund all payments made by the Buyer in terms of the Contract along with interest at the rate of 2% per annum above MIBOR rate. The Buyer will also have the right to recover any such amount from any contracts concluded earlier with the Government of India.
- **6. Access to Books of Accounts**: In case it is found to the satisfaction of the Buyer that the Seller/Service provider has engaged an agent or paid commission or influenced any person to obtain the contract as described in clauses relating to Agents/Agency Commission and penalty for use of undue influence, the Seller/Service provider, on a specific request of the Buyer, shall provide necessary information/ inspection of the relevant financial documents/information.
- **7. Non-disclosure of Contract documents**: Except with the written consent of the Buyer, the Seller/Service provider/other <u>party shall not disclose</u> the contract or any provision, specification, plan, design, pattern, sample σinformation thereof to any third party.

- Dated 29.03.2025
- 8. Liquidated Damages: In the event of the contractor's failure to submit the Bonds, Bank Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc. as specified in this contract/work order, the Buyer may, at his discretion, withhold any payment until the completion of the supply/commissioning/installation/contract. The institute may also deduct from the contractor as agreed, liquidated damages to a sum equivalent to 0.5 (Half) per cent of the prices of any portion of stores/services delivered late, for each week or part thereof, subject to the maximum value of the Liquidated Damages being not higher than 10% of the invoice value.
- 9. Termination (Cancel) of Contract: The institute shall have the right to terminate (Cancel) this Contract/Order in part or in full in any of the following cases: -
- a) The Agency shall be fully responsible for faithful compliance of the provisions of the LoA/purchase/Work Order/Agreement. Any breach or failure to perform the same may result in termination of the purchase order/Work Order/Agreement and forfeiture of the security deposit as well as other legal recourse.
- b) The Company providing items/services is declared bankrupt or becomes insolvent.
- c) Any misconduct/misbehavior on the part of employees etc. deployed by the seller/agency will not be tolerated and the same must be replaced with suitable and equivalent immediately, failing to comply with same will lead to termination of order/contract.
- d) The institute has noticed that the Seller/Service provider has utilized the services of any Indian/Foreign agent in getting this contract and paid any commission to such individual/company etc.
- e). The Director, IIM Rohtak reserves the right to reject any or all tenders in whole or in part without assigning any reason thereof and decision of the Director, IIM Rohtak shall be final and binding on the sellers/agencies in respect of any clause covered under the contract/PO.
- **10. Notices**: Any notice required or permitted by the contract shall be written in the Hindi or English language and may be delivered personally or may be sent by FAX or registered pre-paid mail/airmail, addressed to the last known address of the party to whom it is sent.
- **11. Transfer and Sub-letting**: The Seller/Service provider <u>has no right to give, bargain, sell, assign or sublet or otherwise dispose</u> of the order/Contract or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.
- 12. Patents and other Industrial Property Rights: The prices stated in the present Contract shall be deemed to include all amounts payable for the use of patents, copyrights, registered charges, trademarks and payments for any other industrial property rights. The seller/service provider shall indemnify the Buyer against all claims from a third party at any time on account of infringement of any or all the rights mentioned in the previous paragraphs, whether such claims arise in respect of manufacturer or use. The Seller/Service provider shall be responsible for the delivery of item/services irrespective of infringement of any or all the rights mentioned above.
- **13) Amendments**: No provision of present proposal/Contract shall be changed or modified in any way (including this provision) either in whole or in part except by an instrument in writing made after the date of order/contract and signed on behalf of both the parties and which expressly states to amend the present Contract.

14) Taxes and Duties

- **a.** If Bidder desires to ask for GST, statuary compliances, duties etc., the same must be specifically stated. In the absence of any such stipulation, it will be presumed that the prices include all such charges and no claim for the same will be entertained.
- **b.** If reimbursement of any Duty/Tax is intended as extra over the quoted prices, the Bidder must specifically say so. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of such duty/tax will be entrained after the opening of tenders.
- c. If a Bidder chooses to quote a price inclusive of any duty/tax and does not confirm inclusive of such duty/tax so included is firm and final, he should clearly indicate the rate of such duty/tax and quantum of such duty/tax included in the price. Failure to do so may result in ignoring of such offers summarily.
- d. If a Bidder is exempted from payment of any duty/tax up to any value of supplies from them, he should clearly state that no such duty/tax will be charged by him up to the limit of exemption which he may have. If any concession is available in regard to rate/quantum of any Duty/tax, it should be brought out clearly. Stipulations like, the said duty/tax was presently not applicable but the same will be charged if it becomes applicable later on, will not be accepted unless in such cases it is clearly stated by a Bidder that such duty/tax will not be charged by him even if the same becomes applicable later on. In respect of the Bidders, who fail to comply with this requirement, their quoted prices shall be loaded with the quantum of such duty/tax which is normally applicable on the item in question for the purpose of comparing their prices with other Bidders.
- e. Any change in any duty/tax upward/downward as a result of any statutory variation in excise taking place within contract terms shall be allowed to the extent of actual quantum of such duty/tax paid by the supplier. Similarly, in case of downward revision in any duty/tax, the actual quantum of reduction of such duty/tax shall be reimbursed to the Buyer by the Seller/Service provider. All such adjustments shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the Seller/Service provider.
- 15. Pre-Integrity Pact Clause: An "c" would be signed between the IIM Rohtak and the Bidder for purchase (If required). This is a binding agreement between the Buyer and Bidders for specific contracts in which the Buyer promises that it will not accept bribes during the procurement process and Bidders promise that they will not offer bribes. Under this Pact, the Bidders for specific item/services or contracts agree with the Buyer to carry

out the procurement in a specified manner. The Format of Pre-Integrity Clause will be as per the prescribed format will be provided on request (If required). The essential elements of the Pact will be as follows:

- **a**. A pact (contract) between the IIM Rohtak, "the authority or the "principal" and those companies submitting a tender for this specific activity (the Bidder");
- **b.** An undertaking by the Principal that its officials will not demand or accept any bribes, gifts etc., with appropriate disciplinary or criminal sanctions in case of violation:
- c. A statement by each Bidder that it has not paid, and will not pay, any bribes;
- **d**. An undertaking by each Bidder to disclose all payments made in connection with the Contract in question to anybody (including agents and other middlemen as well as family members, etc., of officials); the disclosure would be made either at the time of submission of Bids or upon demand of the Principal, especially when a suspicion of a violation by that Bidder emerges;
- e. The explicit acceptance by each Bidder that the no-bribery commitment and the disclosure obligation as well as the attendant sanctions remain in force for the winning Bidder until the contract has been fully executed.
- f. Undertaking on behalf of a Bidding company will be made "in the name and on behalf of the company's Chief Executive Officer".
- g. The following set of sanctions shall be enforced for any violation by a Bidder of its commitments or undertakings:
 - i. Denial or loss of contracts;
 - ii. Forfeiture of the Bid security and performance bond;
 - iii. Liability for damages to the principal and the competing Bidders; and
 - iv. Debarment of the violator by the Principal for an appropriate period of time.
 - v. Bidders are also advised to have a company code of conduct (clearly rejecting the use of bribes and other unethical behavior and compliance program for the implementation of the code of conduct throughout the company.
- h. Pre-Integrity Pact Clause to be executed on Rs.100.00 Non judicial stamp paper by successful bidder.

Part IV - Special Conditions of tender

The Bidder is required to give confirmation of their acceptance of Special Conditions of the Tender mentioned below on their original letter head which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Buyer. Failure to do so may result in rejection of Bid submitted by the Bidder.

- 1. **Performance Guarantee**: Payment will be made after successful submission of PBG of 5 % of the order value to the Institute Confirmation of the same from Issuing bank.
- 2. **Option Clause**: The contract will have an Option Clause, wherein the institute may exercise an option to procure an **additional 25% of the original contracted** quantity in accordance with the same terms & conditions of the present contract. This will be applicable within the currency of contract. The Bidder is to confirm the acceptance of the same for inclusion in the contract. It will be entirely the discretion of the institute to exercise this option or not.
- 3. Payment Terms for Indigenous Sellers It will be mandatory for the Bidders to indicate their bank account numbers and other relevant e-payment details so that payments could be made through ECS/EFT mechanism instead of payment through cheques, wherever feasible. A copy of the model mandate form prescribed by RBI to be submitted by Bidders for receiving payments through ECS is available on Institutes website and can be given on request. The payment will be made as per the following terms, -
- a. Payment will be made on after submission of running bill/completion of work in the stipulated time duly verified by Engineer In-charge
- b. The payment in Indian rupees after successful submission of running bill in time and acceptance by the user subject to production of E invoice and Tax invoice as per GST Tax in originals with.
- c. Security Deposit (SD): Security deposit @ 5 % of the tender amount shall be deducted from each running/final bill and will be refunded as per CPWD manual.
- 4. Advance Payments: No Advance payment/s will be made as per terms and conditions of contract
- 5. Fall clause The following fall clause will form part of the contract placed on successful Bidder
 - a. The price charged for the item/services supplied under the contract by the Seller shall in no event exceed the lowest prices at which the Seller sells the item/services or offer to sell item/services of identical description to any persons/Organization including the purchaser or any department of the Central government or any Department of state government or any statutory undertaking the central or state government as the case may be during the period till performance of all supply Orders placed during the currency of the rate contract is completed.
 - b. If at any time, during the said period the Seller reduces the sale price, sells or offer to sell such item/services to any person/organization including the Buyer or any Dept., of central Govt. or any Department of the State Government or any Statutory undertaking of the Central or state Government as the case may be at a price lower than the price chargeable under the contract, the shall forthwith notify such reduction or sale or offer of sale to the Director general of Supplies & Disposals and the price payable under the contract for the item/services of such reduction of sale or offer of the sale shall stand correspondingly reduced. The above stipulation will, however, not apply to: --
 - a. Exports by the Seller.
 - b. Sale of goods as original equipment at price lower than lower than the prices charged for normal replacement.
 - c. Sale of goods such as drugs which have expiry dates.
 - d. Sale of goods at lower price on or after the date of completion of sale/placement of the order of goods by the authority concerned under the existing or previous Rate Contracts as also under any previous contracts entered into with the Central or State Govt. Depts., including their undertakings excluding joint sector companies and/or private parties and bodies.
- 8. Exchange Rate Variation Clause: Not applicable, (Price quoted by the bidder must be quoted in Indian Rupees and the same should be firm and valid for min. 90 days from tender closing date and no foreign exchange rate variation would be allowed during validity of bid)
- 9. Risk & Expense clause
 - a). Should the item/services or any instalment thereof not be delivered within the time or times specified in the contract documents, or if defective delivery is made in respect of the item/services or any instalment thereof, the Buyer shall after granting the Seller 07 days to cure the breach, be at liberty, without prejudice to the right to recover liquidated damages as a remedy for breach of contract, to declare the contract as cancelled either wholly or to the extent of such default.
 - b). Should the item/services or any instalment thereof not perform in accordance with the specifications / parameters provided by the SELLER during the check proof tests to be done in the BUYER's country, the BUYER shall be at liberty, without prejudice to any other remedies for breach of contract, to cancel the contract wholly or to the extent of such default.
 - c). In case of a material breach that was not remedied within 07 days, the BUYER shall, having given the right of first refusal to the SELLER be at liberty to purchase, manufacture, or procure from any other source as he thinks fit, other item/services of the same or similar description to make goods. /services.

d) Insurance against accident to work man: - The contractor should take insurance of workers and keep safe against all damages or companions payable on accident during work.IIM Rohtak will not be responsible for any claim's/damages /proceedings, cost, charges what so ever arise in case of accident in any workers. If IIM Rohtak called upon payment of such claims by any authority the same will be deducted the contractor bill/SD.

10. Force Majeure clause

- a. Neither party shall bear responsibility for the complete or partial non-performance of any of its obligations (except for failure to pay any sum which has become due on account of receipt of goods under the provisions of the present contract), if the non-performance results from such Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract
- b. In such circumstances the time stipulated for the performance of an obligation under the present contract is extended correspondingly for the period of time of action of these circumstances and their consequences.
- c. The party for which it becomes impossible to meet obligations under this contract due to Force Majeure conditions, is to notify in written form the other party of the beginning and cessation of the above circumstances immediately, but in any case not later than 10 (Ten) days from the moment of their beginning.
- d. Certificate of a Chamber of Commerce (Commerce and Industry) or other competent authority or organization of the respective country shall be a sufficient proof of commencement and cessation of the above circumstances.
- e. If the impossibility of complete or partial performance of an obligation lasts for more than One (01) month, either party hereto reserves the right to terminate the contract totally or partially upon giving prior written notice of 15 (Fifteen) days to the other party of the intention to terminate without any liability other than reimbursement on the terms provided in the agreement for the goods received.
- **11. Product support/warranty –** Shall be provided through respective OEM (Original Equipment Manufacturer) for the items under question or as mentioned/asked against each category.
- 12. **Import License**: The Bidders are to confirm that they have requisite import license (If applicable) from respective Govt. Authorities and Authorization from the manufacturer if applicable.
- 13. Earliest Acceptable version- Latest material with respective manufacturer warranty shall only be supplied under this proposal or subsequently concluded contract/Order.
- 14. **Transportation/delivery of items/services**: At supplier's expense on site i.e. at Indian Institute of Management Rohtak (New Campus, near Sunaria Village, Rohtak), Haryana PIN-124 010.
- 15. Packing, Marking, Insurance and forwarding: At supplier's, expense All-inclusive).
- 16. **Quality**: The quality of the item/services must be delivered according to the present order/Contract shall correspond to the technical specifications/conditions and standards valid for the deliveries of the same in Seller's country or specifications enumerated as per TENDER and shall also include therein modification to the item/services suggested by the Buyer. Such modifications will be mutually agreed to. The Seller confirms that the item/services to be supplied under this Contract shall be genuine.
- 17. **Inspection Authority**: The Inspection will be carried out by notified inspecting agency of IIM Rohtak (i.e. Engg. dept.). The mode of Inspection will be Departmental Inspection.
- 18. **Onsite Warranty/Guarantee/free replacement** As per respective manufacturer/OEMs standard terms for all items under question or <u>as mentioned/asked against each category</u> (refer price bid) or free replacement against defective or substandard quality supply or malfunctioning for <u>all mentioned items/services if not mentioned against the respective category</u>.

19. SCOPE OF WORK:

The work shall be generally carried out as per CPWD specifications for construction works, instructions as may be issued by the Institute Engineer in charge responsible for work from time to time.

Rules and Manual to be followed

- 21.1 CPWD Specification with up to date correction slip and CPWD general conditions of contract, Contractor labour regulation act as applicable in CPWD shall be followed.
- 21.2 Technical staff at site shall be deployed as per CPWD rules and guidelines otherwise necessary recovery as applicable shall be done from bill of contractor. No material /Tool plants shall be issued to contractor.
- 21.3 Authority for fixing compassion under GCC Clause no 2 of CPWD Shall be Director IIM Rohtak.
- 21.4 All test certificate /manufacture certificate shall be arranged by the contractor and submitted to Engineer in Charge.

Part V - Evaluation Criteria & Price Bid issues

- 1. Evaluation Criteria The broad guidelines for evaluation of Bids will be as follows:
- a. Only those Bids will be evaluated which are found to be fulfilling all the eligibility and qualifying requirements of the tender, both technically and commercially.
- b. In respect of Bids forwarded by the Bidders will be evaluated by the Buyer with reference to the technical characteristics of the equipment/material as mentioned in the (Part –II, Para-2). The compliance of bids would be determined based on the parameters specified in the TENDER and successful onsite demonstration of the offered products/items (if felt necessary & asked) before the bids evaluation committee. The Price Bids/Commercials of only those bidders will be considered & evaluated whose bids would clear the technical specification evaluation criteria's (including onsite demonstration).
- c. The lowest price bid will be decided upon the total value wise lowest price quoted by the particular Bidder as per the Price bid Format. The consideration of taxes and duties in evaluation process will be as follows:
- i. In cases where only indigenous Bidders are competing, all taxes and duties (including those for which exemption certificates are issued) quoted by the Bidders will be considered. The ultimate cost to the Buyer would be the deciding factor for ranking of Bids.
- ii. In cases where both foreign and indigenous Bidders are competing, following criteria would be followed -
- 1. In case of foreign Bidders, the basic cost (CIF) quoted by them would be the basis for the purpose of comparison of various tenders.
- 2. In case of indigenous Bidders, excise duty on fully formed equipment would be offloaded.
- 3. Sales tax and other local levies, i.e. octroi, entry tax etc. would be ignored in case of indigenous Bidders.
- d. The Bidders are required to spell out the rates of Customs duty, Excise duty, GST, etc. in unambiguous terms; otherwise their offers will be loaded with the maximum rates of duties and taxes for the purpose of comparison of prices. If reimbursement of Customs duty / Excise Duty /GST is intended as extra, over the quoted prices, the Bidder must specifically say so. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of such duties will be entrained after the opening of tenders. If a Bidder chooses to quote a price inclusive of any duty and does not confirm inclusive of such duty so included is firm and final, he should clearly indicate the rate of such duty and quantum of excise duty included in the price. Failure to do so may result in ignoring of such offers summarily. If a Bidder is exempted from payment of Customs duty / Excise Duty / GST duty up to any value of supplies from them, they should clearly state that no excise duty will be charged by them up to the limit of exemption, which they may have. If any concession is available in regard to rate/quantum of Customs duty / Excise Duty / GST, it should be brought out clearly. Stipulations like, excise duty was presently not applicable but the same will be charged if it becomes leviable later on, will not be accepted unless in such cases it is clearly stated by a Bidder that excise duty will not be charged by him even if the same becomes applicable later on. In respect of the Bidders who fail to comply with this requirement, their quoted prices shall be loaded with the quantum of excise duty, which is normally applicable on the item in question for the purpose of comparing their prices with other Bidders. The same logic applies to Customs duty and GST also.
- e. In import cases, all the foreign quotes will be brought to a common denomination in Indian Rupees by adopting the exchange rate as BC selling rate of the State Bank of India on the date of the opening of Price Bids.
- f. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected. If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.
- g. The Buyer reserves the right to evaluate the offers received by using Discounted Cash Flow method. In case cash flow involves more than one currency, the same will be brought to a common denomination in Indian Rupees by adopting exchange rate as BC selling rate of the State Bank of India on the date of the opening of Price Bids.
- h. The Lowest reasonable, economical & acceptable bids against requisite items, as mentioned in Part-V TENDER/proposal document will be considered in rates must be quoted in Indian rupees in import cases, all the foreign quotes will be brought to a common denomination in Indian Rupees by adopting the RBI/SBI/GOC declared exchange rate.
- 2. **Price Bid Format**: The Price Bid /Bill of quantity Format is given as an annexure A /provided online and Bidders are required to fill this up correctly with full details: & Seal and Sign. of Proprietor/ Auth. Signatory/Bidder.
- Check list -
- 3.1. Processing fee Rs.5900.00 deposited to the account as given above. Proof must be attached with technical bid {Bidders registered under MSE having Valid MSE Certificate (under Manufacturing /Service category) are exempted towards processing fee},
- 3.2. Duly filled and signed scanned copies of Tender document by authorized signatory on all pages with company's credential documents like firms' Reg.Certificate/Partnership deed etc., company profile, GST reg. copy, copy of MOA (Memorandum of Association) all brochures of respective items/accessories with sign & seal on each page, duly attested copies of balance sheets.
- 3.3. Self-attested copy of all relevant supporting documents (Refer Part-II Para-2 above) as applicable (To be attached with technical bid).
- 3.4. Bids must be submitted online on https://www.tenderwizard.com/iim-rohtak/ before closing date/time positively.
- 3.5. San copy of Covering/Forwarding letter of Bids shall be on original letter head of the company duly ink signed and stamped with company seal.
- 3.6 Bid security/EMD (Earnest Money Deposit): Rs. 68,654.00/ should be submitted online (IMPS/NEFT/RTGS) to Acct. No. 252201000421, Bank-ICICI Bank, IIM Rohtak Branch, IFSC-ICIC0007244, in favor of "Indian Institute of Management Rohtak".

SECTION:-6

AGREEMENT

This agreement made on Between the same of the one parameter called the employer) of the one parameter called "The in after called "The one parameter called "The one	rt and	-
Whereas the employer is desirous that certa Modification Work of 23 Nos. Hostel Rooms at Indi accepted a tender of the contractor for	an Institute of Manager	
NOW THIS AGREEMENT WITNESSETH AS FOLLO In this Agreement words and expressions have assigned to them in the conditions of contract t	ve the same meaning	
The following documents shall be deemed to for agreement viz.	rm and be read and co	onstrued as part of this
The award letter No.:-		
References as mentioned in the award letter:-		
In consideration of the payments to be mad contractor hereby covenants upon to execute a respects with the provisions of the contract.		
Institute hereby covenants to pay the considerable photocopying and documentation of the works manner prescribed by contract.	· · · · · · · · · · · · · · · · · · ·	
In witness whereof the parties have hereunto sand year first above written.	set their respective ha	ands and seals the day
For & on contractor Indian institute of Management	For & on be	half of
Witness (i)	(ii) Date:	Rohtak

SECTION -7 FORMAT OF BID BOND (EMD)

	TORRINITION BID BOTTE (EMB)
	as
	ALL MEN by these presents that WE OF OF Having our red office at (Hereinafter called "the Bank") are bound unto
NR/US	institute of Management Rohtak (hereinafter called "the Institute") in the sum of \$\\$ for which payment will and truly to be made of the said Institute, the inds itself, its successors and assigns by these present.
ГНЕ СС	ONDITIONS of the obligation are:
1.	If the Bidder withdraws his bid during the period of bid validity specified by the Bidde on the Bid form or
2.	If the Bidder, having been notified of the acceptance of his bid by the Institute during the period of bid validity

- 3. (a) Fails or refuses to execute the Contract, if required; or
 - (b) Fails or refuses to furnish the Performance Security, in accordance with the instructions to Bidders.

We undertake to pay to the Institute up to the above amount upon receipt of its first written demand, without the Institute having to substantiate its demand, provided that in its demand, the Institute will note that the amount claimed by it is due to it owning to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including Thirty (30) days after the Period of bid validity and any demand in respect thereof should reach the Bank not later than the specified date/dates.

Signature of the

Bank Authority.

Name

Signed in Capacity of

Name & Signature of witness Full address of Branch

Address of witness Tel No. of Branch

Fax No. of Branch

SECTION -8

FORMAT OF PERFORMANCE BANK GUARANTEE (PBG)

Indian Institute of Management Rohtak (With due stamp duty if applicable) OUR LETTER OF GUARANTEE No.: In consideration of Indian Institute of Management Rohtak, having its office at Sunaria Rohtak (hereinafter referred to as "IIM Rohtak" which expression shall unless repugnant to the content or meaning thereof include all its successors, administrators and executors) and having entered into agreement dated /issued work Order No. dated with/on (hereinafter referred to as "The Contractor" which expression unless repugnant to the content or meaning thereof, shall include all the successors, administrators, and executors). WHEREAS the Contractor having unequivocally accepted to supply the materials as per terms and conditions given in the Agreement dated ______/award letter /work order No. dated _____ and Institute having agreed that the Contractor shall furnish to IIM ROHTAK a Performance Guarantee for the faithful performance of the entire contract, to the extent of 5 % (Five percent) of the value of the Work Order i.e. for ___ ("The Bank") which shall include OUR successors, administrators and executors herewith establish an irrevocable Letter of Guarantee No. ______ in your favour for account of __ (The Contractor) in cover of performance guarantee in accordance with the terms and conditions of the Agreement/work Order. undertake Hereby, we to pay up to but not exceeding ____say _____ only) upon receipt by us of your first written demand accompanied by your declaration stating that the amount claimed is due by reason of the Contractor having failed to perform the Agreement and despite any contestation on the part of above named Contractor. This Letter of Guarantee will expire on ______ including 60 days of claim period and any claims made hereunder must be received by us on or before expiry date after which date this Letter of Guarantee will become of no effect whatsoever whether returned to us or not. **Authorized Signature** Manager Seal of Bank

SECTION -9

PLEDGE OF COMPLIANCE

(To be given on original letter head of the company/firm by the legal owner/authorized signatory of the company/firm) I,full name, designation......, acting on behalf of M/s.....Company/Agency name Registered full address....., which is an applicant/bidder for "Onsite Modification Work of 23 Nos. Hostel Rooms at Indian Institute of Management, Rohtak. Tender no IIM-R/Civil/ FY 2023-24/OTE/P- 124 T Dated 28.03.2025 to the Indian Institute of Management Rohtak (Management City, NH-10, Southenn Byepass, Sunaria, Rohtak PIN124 010) hereby undertake that I/We have no criminal antecedents, never declared bankrupt, never black listed by any Govt./PSU/Autonomous dept/agency/body and we shall abide by all terms and conditions mentioned in this tender document and subsequently issued PO/LoA/LoI/work order/Agreement against the said tender enquiry. In the event of any breach of terms and conditions of this tender and subsequently issued PO/LoA/LoI/work order/Agreement against the said tender enguiry during the entire period of contract, we shall take the full responsibilities of any loss incurred by my agency/company employees/representatives by their negligence to IIM Rohtak including financial, time and reputation as assessed by competent authority of IIM Rohtak and my company/agency will fully compensate to IIM Rohtak for all such losses without ensuing any legal process. Company's official seal..... Name: Date: Signature: Place:.... Full Address:

Pin...... Contact Nos.....

E-mail ID.....

BID SECURITY DECLARATION FORM

(to be submitted on bidder's letter Heads) (to be submitted by MSE Bidder Only)

Date: 28.03.2025

Name of the Work: - <u>Tender for "Onsite Modification Work of 23 Nos. Hostel Rooms at Indian Institute of Management, Rohtak" Title of TENDER No. - IIM-R/Civil/FY 2024-25/OTE/P-124 T Dated: 28/03/2025.</u>

To Chief Administrative Office IIM Rohtak Haryana – 124001.

Seal

I/We, the undersigned, declare that:

I/We understand that, according to your conditions, bid must be supported by a Bid Securing Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of three years from the date of notification if I am / We are in breach of any obligation under the bid condition, because I/We

- a) Have withdrawn/ modified/ amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form Bid; or
- b) Having been notified of the acceptance of our bid by the employer/purchaser during the period of bid validity (i) fail or refuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance security deposit in accordance with the instructions to Bidders.

I/We understand this Bid Securing I	Declaration shall cease to be	valid if am/we are not the	e successful hidder

Signed: (insert signature of person whose name and capacity are shown)
Name: (insert complete name of person signing the Securing Declaration)
Dated onday of (insert date of Signing)

List of Civil material approved make			
S. No.	Materials	Vendors	
1.	Earth work		
1.1	CHEMICAL EMULSION FOR ANTI TERMITE TREATMENT (CHLOROPYRIPHOS EMULSIFIABLE CONCENTRATE)	DE-NOCIL , Bayer, DURSBAN 50 TC , TERRRASHIELD 50 TC OR EQUIVALENT	
1.2	Damp proof material	Impermo, Duraseal, ACCO-proof	
1.3	Anti-termite treatment	PEST CONTROL SERVICES, PEST CONTROL INDIA, DYNAMIC PEST AND RODENT CONTROL	
2	Concrete works		
2.1	Cement (OPC/PCC)	ACC, Ultratech, JK, Ambuja, Birla	
2.2	White cement	ACC, Birla, JK White	
2.3	Concrete admixture, Plasticizer, Super Plasticizer, Admixtures, Other construction chemicals	BASF, Sika, FOSROC, CICO, Pidilite	
2.4	•	Supreme Industries, SIL FILL, Shalimar, Jolly board or Equivalent	
3	RCC works		
3.1		SAIL, TATA (TISCO), RINL, JSW	
4	Steel work		
4.1	Structural Steel	SAIL, TATA (TISCO), RINL, Jindal, Apollo	
4.2	MS pipe, Tubes, Bar, Flats, Angle, Tee Sections	SAIL, TATA (TISCO), RINL, Jindal, Apollo	
6	Wood & PVC work		
6.1	Wooden Flush Doors	Green ply, Century, Kit ply, Merino	
6.2	Water proof ply	Green ply, Garnet, Century, Kit ply, Anchor, Merino	
6.4	Laminate	Greenlam/ Century, Merino, Royal Touch, Kitply, Formica, Decolam	
6.5	Pre-laminated particle board – exterior grade	Novapan/Merino/Green Lam/Kitlam, Ecoboard Associated / Arclid ply/Century	
6.6	Gypsum Board/ Metal Ceiling False ceiling	Saint Gobain, Lafarge, USG-Boral, Armstrong	
6.8	Door Hardware (Al. Handles, AL. Tower bolt, Al. Sliding door bolt)	Classic, Crown, Everite, Kich	
6.9	Hydraulic door closers/floor springs	Godrej, Hardwyn, Dorma, Everite	
6.10	Locks/Latches	Dorset, Godrej, Harrison, plaza, yale	

8.9	Mirror Glass	Modi Guard, Saint Gobain, Asahi, Atul
8.10	Anti-Corrosive	Bitumastic Paint Asian / Berger / Shalimar, Nerolac
8.11	Epoxy Paint	Asian /Berger /Shalimar
8.12	Epoxy Coating	BASF, Forsoc, Laticrete
8.13	Silicon coating	Dowcorning, BASF, GE, Wecker
9	Aluminium work	
9.2	Aluminium Fittings	Classic, crown, Jyoti, Everite
9.3	Aluminium Sections	Hindalco / Jindal / Bhoruka / Indal
9.4	Friction stay hinges	Earl-Bihari, Ozone, Ebco, Godrej, Hettich, dorma, Geze
10	Water proofing	
10.1	Water proofing compound	Fosroc, BASF, Sika, Pidilite, CICO, Impermo, Acco proof
10.2	Membrane Waterproofing system	BASF, STP limited, Texsa, WR Grace, Pidilite, Hydro tech ltd.
10.3	Chemical Waterproofing system	BASF, MC-Bauchemie, Sika, Sunanda Specialty Coatings, Perma Construction Aid Pvt. Ltd. Forsoloc, Pidilite
10.4	Water stops	Hydrotite, BASF, Hydroswell
12	Miscellaneous	
12.1	Structural Sealant	Dow Corning, Wacker, GE, Fowroc, BASF
12.3	Bitumen Impregnated Board	Shalitex or equivalent
12.4	Polyethylene backer rod	Supreme Ind. Ltd. Or equivalent
12.6	False Ceiling Members (Perimeter, ceiling section, intermediates, angles etc.)	Armstrong, Gyp. Steel of India Gypsum Ltd (Saint Gobain), USG Boral
12.7	Welding rod	ADVANI, Esab, Adorr
12.10	Clamp. Rebar, Chemical fastener	Hilti, Fischer, Wurth
12.11	Anchor Fasteners / bolts	Hilti, Fischer, Halfen
12.13	Dash Fasteners	Hilti, Fischer, Anchor, wurth
12.14	FLOOR HARDENER	PIDITOP 333 (NON – METALLIC) , NITOTOP OF FOSROC , SIKA , FAIRMATE , BASF, CHRYSO, MYK SCHOMBURG

12.17	Weather Silicon make and grade	Dow Corning / Momentive (GE)
12.18	Structural Silicon	Dow Corning / Momentive (GE)
13	Public Health Engg.	
13.1	Vitreous Commodes / wash Basin/	Hindware, Kohler, Jaquar, Roca
13.2	Water supply fixtures / fittings like bib cocks, shower Panels/CP brass fittings/Sanitary Fixtures/ Sink	Jaguar, Roca, Kohler
13.3	GI Pipes	TATA, Jindal, TATA, Prakash Surya
13.4	GI pipe fittings	Zoloto, Unik, HB, ICS
13.5	RCC Pipes	Local ISI mark
13.7	Ductile Iron pipes	Tisco, Jindal, Kesoram, Electrosteel,
13.8	DI fittings	Tisco, Jindal, Kesoram, Electrosteel,
13.9	SCI pipes	Neco, SIF, Hepco, BIC, , electrosteel
13.10		Supreme, Astral , Finolex, Prince, AKG.
13.11	CPVC pipe and fittings	Supreme, Astral , Finolex, Prince, AKG
13.12	UPVC pipes	Supreme, prince, Finolex, Prince
13.13	Water supply valves	Zoloto, RB Leader , ARCO
13.14	Kitchen sinks	Nirali or Hindware , Johnson , Franki Diamond, Neelkanth, Jayna
13.15	CI Manhole cover	Neco , BIC, SIF/hepco
13.16	SFRC Cover and grating	Kutty , KK , Advent , Newtech, Pragati
13.17	Air release valves	Kirloskar, RBM, Kartar, ZOLOTO, UNIK, SANT
13.18	CI double flange sluice valve	Kirloskar, RBM, Kartar, ZOLOTO, SANT
13.20	Gun Metal valves	Zoloto, leader, sant, Andco India

	List of electrical items approved make			
1.	M.S. CONDUIT PIPE	-	BEC/M KAY/ NIC/AKG/STEEL CRAFT (ISI MARKED-ERW)	
2.	PVC INSULATED COPPER CONDUCTOR WIRES.	-	RRCABLE/POLYCAB/HAVELLS/BATRA HANLAY/GRANDLAY/ BCH/ L&T	
3.	MODULAR PLATE TYPE SWITCH/ SOCKET WHITE & ITS BOXES	-	LEGRAND (MOSAIC)/SCHNEIDER (CLIPSAL) (OPALE)/ WIPRO NORTHWEST) PLATIA/ MK (WRAPOROUND)/ HAVELLS (CRABTREE)	
4.	PREWIRED MCB DB / ISOLATOR	-	LEGRAND/SCHNEIDER/L&T / SIEMENS	
5.	MCB'S / RCCBS	-	LEGRAND (LEXIC) / SCHNEIDER (MULTI- 9)/L&T (HAGER) / SIEMENS (BETAGUARD)	
6.	MCCB'S UPTO 250A (THERMAL RELEASE) MCCB'S ABOVE 250A (MICRO PROCESSOR RELEASE)	-	LEGRAND (DPX)/ SCHNEIDER (NS)/ L&T (D-SINE)/ SIEMENS (VL)	
7.	XLPE ALUMINIUM CONDUCTOR ARMOURED CABLES UPTO1100V GRADE	-	FINOLEX/RR CABLE /POLYCAB / HAVELLS/ BATRA HNLAY/ GRANDLAY / ELEKTRON	
8.	COPPER CONDUCTOR CONTROL CABLE	-	FINOLEX/RR CABLE /POLYCAB / HAVELLS/ BATRA HANLAY/ GRANDLAY / ELEKTRON	
9.	AMMETER & VOLTMETER	-	AUTOMATIC ELECTRIC/MECO/ RISHLINE (L&T) / RISHAB/ CONZERV/ NEPTUNE	
10.	CT'S	-	AUTOMATIC ELECTRIC/ KAPPA/ RISHABH	
11.	CONTACTORS, TIMERS	-	L&T/GE POWER CONTROL/SIEMENS	

12.	PROTECTIVE RELAYS	-	SCHNIEDER/ L&T/ AREVA				
13.	SELECTOR SWITCH	-	KAYCEE/SALZER/ L&T/ C&S/AE				
14.	INDICATING LIGHTS (L.E.D TYPE)	-	VAISHNO/ CONCORD/ L&T/GE/ KAYCEE				
15.	CABLE TRAYS	-	SLOTCO/ STEELWAYS/ EQUIPTECH				
16.	BRASS COMPRESSION GLAND/ LUGS/ FERRULES	-	DOWELLS/ SWASTIK/ JOHNSON				
17.	GI WIRE FOR LOOP EARTHING	-	HOT DIP GALVANISED. MAKE TO BE GOT APPROVED.				
18.	EARTH LEAKAGE CIRCUIT BREAKER (RCCB) ISI MARKED	-	LEGRAND/DATAR/NEPTUNE / SCHNEIDER/L&T				
19.	MODULAR TYPE FAN REGULATOR	-	LEGRAND (MOSAIC)/SCHNEIDER (CLIPSAL) (OPALE)/ WIPRO (NORTHWEST) PLATIA/ MK (WRAPOROUND)/ HAVELLS (CRABTREE)				
20.	POWER DISTRIBUTION PANEL AND MOTOR CONTROL CENTRE	-	SPC ELECTROTECH, ADLEC, ADVANCE PANEL, ABB, SYSTEM POWER CONTROL, SIEMENS, SCHNEIDER				
21.	AIR CIRCUIT BREAKER (3/4 POLE		ABB (E-MAX), LARSEN & TOUBRO (U POWER), SIEMENS (3 WT) SCHNEIDER ELECTRIC (MASTERPACT NW)				
22.	AUTOMATIC TRANSFER SWITCH		CUMMINS ASCO(GE)				
23.	CONTROL TRANSFORMER/POTENTIA L TRANSFORMERS		AUTOMATIC ELECTRIC/ PRECISE				
24.	CURRENT TRANSFORMER (EPOXY CAST RESIN)		AUTOMATIC ELECTRIC/ PRECISE/ MATRIX				
25.	PROTECTION RELAY						
	A. NUMERIC TYPE		ALSTOM/ ABB/ SIEMENS				

	B. ELECTROMAGNETIC	ALSTOM/ EASUN REYROLLE
	TYPE	
26.	INDICATING LAMPS LED	LARSEN & TOUBRO (ESBEE)/ SIEMENS

SURE/ L&T
SURE/ L&T
FILLED)/
4
M/TRILUX/
' KLITE
M/ TRILUX/ INSTA
KAYCEE
TECHANIQUE)/ ABB/
HITACHI
VES/ IE
EEL/ M M
EC/ DUAL
IT

37.	SANDWICH	CONTROL & SWITCHGEAR/ ODREJ (HENIKWON)/
	CONSTRUCTION BUS	POWER PLUG /
	DUCTS / RISING MAINS/	MALAYSIA/ SCHNEIDER ELECTRIC –

	TAP OFF BOXES	ILINE/ L&T MEGADUCT
38.	CABLE GLANDS DOUBLE COMPRESSION WITH EARTHING LINKS	BALIGA LIGHTING /COMET/COSMOS
39.	BIMETTALIC CABLE LUG	DOWELL'S (BILLER INDIA PVT. LTD.)/COMET/ HAX BRASS (COPPER ALLOY INDIA LTD.)
40.	INVERTER	APC/ NUMERIC / LUMINOUS/ MICROTEK

	NIT No.: IIM-R/Civil/FY 2024-25/OTE/P-124 T Dated 29.03.2025 Bill of Quantity Onsite Modification Work of 23 Nos Hostel Room At IIM ROHTAK						
Sr.		Description	Unit	Qty	Rate	Amount	
	•	Description	Offic	Qty	Nate	Amount	
1	• •	LUMINIUM WORK		1			
2		Providing and laying in position cement					
	4.1	concrete of specified grade excluding the cost					
		of centering and shuttering:					
3							
	4.1.3	1:2:4 (1 Cement : 2 coarse sand : 4					
		graded stone aggregate 20 mm nominal size).	Cum	13.49			
4							
		Providing and fixing 1st quality ceramic glazed					
		wall tiles conforming to IS: 15622 (thickness					
		to be specified by the manufacturer) of					
		approved make in all colours, shades except					
		burgundy, bottle green, black of any size as					
	8.31	approved by Engineer-in-Charge in skirting,					
		risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement : 3					
		coarse sand) and jointing with grey cement					
		slurry @ 3.3kg per sqm including pointing in					
		white cement mixed with pigment of					
		matching shade complete. (Size of Tile is					
		300x450 mm)	Sqm	271.00			
5		,					
		Providing and fixing aluminium tower bolts, ISI					
		marked, anodised (anodic					
	9.97	coating not less than grade AC 10 as per IS:					
		1868) transparent or dyed					
		to required colour or shade, with necessary					
		screws etc. complete : 300x10mm	Each	46.00			
6							
		Providing and fixing ISI marked aluminium					
	9.95	butt hinges anodised (anodic coating not less					
		than grade AC 10 as per IS: 1868) transparent					
		or dyed to required colour or shade with necessary screws etc. complete: 100x63x3	Each	69.00			
7		necessary screws etc. complete. 100x03x3	Eacii	09.00			
ľ		Providing and fixing aluminium hanging floor					
		door stopper, ISI marked, anodised (anodic					
	9.101	coating not less than grade AC 10 as per IS:					
		1868) transparent or dyed to required colour					
		and shade, with necessary screws etc.					
		complete twin rubber stopper	Each	25.00			
8							
		Providing and laying Vitrified tiles in different					
		sizes (thickness to be specified by					
		manufacturer), with water absorption less					
		than 0.08 % and conforming to I.S. 15622, of					
	11.46	approved make, in all colours & shade, in					
		skirting, riser of steps, over 12 mm thick bed					
		of cement mortar 1:3 (1 cement: 3 coarse					
		sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with					
		white cement & matching pigments etc.					
		complete					
9		Size of Tile 600x600 mm	Sqm,	16.27			
<u> </u>	<u> </u>	1	~ ~ ~ · · · · /		I.	1	

10	11.40.	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., complete	Sqm	122.00	
11	13.83	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour	Saur	500	
12	15.83.2	two coat	Sqm	598	
13	15.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. 15.2.1 Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cum	7	
14					
	15.23	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. 15.23.1 For thickness of tiles 10 mm to 25 mm	Sqm	130	
15	18.78	Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface for GI/CI pipes etc.	Rm	240	
16	21.1.	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, including fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and for separately):			
17		Fixed portion Powder coated aluminium			
	21.1.1.2.	(minimum thickness of powder coating 50 micron)	Kg	713	

	,	T	1		7	1
18						
		For shutters of doors, windows & ventilators				
		1				
	21.1.2.	including providing and fixing hinges/ pivots,				
	21.1.2.	handles and making provision for fixing of				
		fittings wherever required including the cost				
		of EPDM rubber / neoprene gasket required				
		(Fittings shall be paid for separately)				
19						
	21.1.1.3.	Polyster Powder coated aluminium (minimum				
		thickness of powder coating 50 micron)		298		
		thickness of powder coating 50 microny	Kg	230		
20						
		Providing and fixing glazing in aluminium				
		door, window, ventilator shutters and				
		partitions etc. with EPDM rubber / neoprene				
	21.3	1.				
		gasket etc. complete as per the architectural				
		drawings and the directions of engineer-in-				
		charge . (Cost of aluminium snap beading shall				
		be paid in basic item):		1		_
21		With float glass panes of 5 mm thickness		 		
21	21.3.2					ļ
		(weight not less than 12.50 kg/ sqm)	Sqm	224		
22				1		
		Filling the gap in between aluminium frame &		1		
		adjacent RCC/ Brick/ Stone work by providing				
	21.8	weather silicon sealant over backer rod of		1		
		approved quality as per architectural drawings				
		and direction of Engineer-in-charge complete.			-	-
23	21.8.1	Upto 5mm depth and 5 mm width	Meter	385		
24		Providing and fixing aluminium round				
		shape handle of outer dia 100mm with SS				
	21.16.	1 .				
		screws etc. complete as per direction of				
		Engineer-in-charge			-	-
25		Powder coated minimum thickness 50 micron				
	21.16.2	laluminium	Each	46		
26			200			
20						
	NS	Frosted film on glass work approved make as				
		per direction of Engineer -in-charge	Sqm	282		
27		Total Amour	nt =PART A			-
28	Plumbing	g work				
29						
		Draviding and fiving white witnesses there		1		
		Providing and fixing white vitreous china		1		
		pedestal type water closet (European type)		1		
		with seat and lid, 10 litre low level white				
		vitreous china flushing cistern & C.P. flush				
	17.3	bend with fittings & C.I. brackets, 40 mm flush		1		
	17.3	1		1		
		bend, overflow arrangement with specials of				
		standard make and mosquito proof coupling		1		
		of approved municipal design complete,		1		
		including painting of fittings and brackets,				
		cutting and making good the walls and floors		1		
		wherever required :				
30	17.3.1	W.C. pan with ISI marked white solid plastic		1		
		seat and lid	Each	23		
	27.0.2				i	i
31	27.0.2					
31	271012					
31		Providing and fixing wash basin with C.I.				
31		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm				
31	17.7	Providing and fixing wash basin with C.I.				
31		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm				
31		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and				_
		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				-
31	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size				-
		Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 500x400 mm with a single 15 mm C.P. brass				-
	17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size	Each	23		-

			1	1	I	T.
33	1	Providing and fixing 8 mm dia C.P. / S.S. Jet		1		
		with flexible tube upto 1 metre long with S.S.				
	17.16A	triangular plate to Eureopean type W.C. of		1		
	17.1071	quality and make as approved by Engineer - in				
			Fl.	22.00		
		charge.	Each	23.00		-
34						
	17 22 4	Providing and fixing CP Brass 32mm size				
	17.22.A	Bottle Trap of approved quality & make and as				
		per the direction of Engineer-in-charge	Each	26		
35		Providing and fixing of 15 mm dia C.P brass	20011			
33	17.22B			22		
		mixer with wall flange	Each	23		
36						
		Providing and fixing 600x450 mm beveled				
	47.04	edge mirror of superior glass (of approved				
	17.31	quality) complete with 6 mm thick hard board				
		ground fixed to wooden cleats with C.P. brass				
				22.00		
		screws and washers complete.	Each	23.00		
37						
		Providing and fixing 600x120x5 mm glass shelf				
	17.00	with edges round off, supported on anodised		1		
	17.33	aluminium angle frame with C.P. brass		1		
	1	brackets and guard rail complete fixed with 40				
	1			22.00		
-		mm long screws, rawl plugs etc., complete.	Each	23.00		
38	17.34.1					
		Providing and fixing toilet paper holder: Brass	Each	23.00		
39		Providing and fixing soil, waste and vent pipes		1		
	17.35	:With complette socket and elbow eith solvent		1		
		fixing		1		
40	17.35.1 2	100 mm dia.	Rm	90.00		
41		75 mm diameter :	Rm	80.00		
	17.33.2.2	73 mm diameter :	IXIII	30.00		
42						
		Providing and fixing of floor traps formed of				
	NS	PVC 'P' traps complete, including cost of				
		cutting and making good the walls and floors				
		wherever required.				
43		100 mm inlet and 100 mm outlet	Each	23.00		
44		200		23.00		
		Duantidina and fining bond of various dames				
	17.38.1.2	Providing and fixing bend of required degree				
		with access door, insertion rubber washer 3				
		mm thick, bolts and nuts complete				
45		100 mm dia.				
46		Sand cast iron S&S as per IS - 3989	Each	23.00		
47	17.38.2.2	75 mm dia.				
48		Sand cast iron S&S as per IS - 3989	Each	23.00		
		Providing and fixing plain bend of required	Lucii	23.00		
49	17.39.			1		
_		degree.		ļ		
50	17.39.1.2	100 mm dia.				
51	l	Sand cast iron S&S as per IS: 3989	Each	23.00	l	
52	1			23.00		
	17.39.2.2	75 mm dia.		23.00		
53	17.39.2.2		Each	23.00		
_	17.39.2.2	75 mm dia. Sand cast iron S&S as per IS : 3989	Each			
53 54	17.39.2.2 17.44.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction	Each			
54	17.44.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree:	Each			
54 55	17.44.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm		23.00		
54 55 56	17.44. 17.44.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989	Each Each			
54 55	17.44. 17.44.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm		23.00		
54 55 56	17.44. 17.44.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989		23.00		
54 55 56 57	17.44. 17.44.1.2 17.44.2.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm	Each Each	23.00		
54 55 56 57 58	17.44. 17.44.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert	Each Each	23.00		
54 55 56 57 58 59	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree:	Each Each	23.00		
54 55 56 57 58 59	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm	Each Each	23.00 10.00 10.00		
54 55 56 57 58 59 60 61	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989	Each Each	23.00		
54 55 56 57 58 59 60 61 62	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm	Each Each Each	10.00 10.00 15.00		
54 55 56 57 58 59 60 61	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989	Each Each	23.00 10.00 10.00		
54 55 56 57 58 59 60 61 62	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm	Each Each Each	10.00 10.00 15.00		
54 55 56 57 58 59 60 61 62 63	17.44. 17.44.1.2 17.44.2.2 17.50.	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989	Each Each Each	10.00 10.00 15.00		
54 55 56 57 58 59 60 61 62 63	17.44. 17.44.1.2 17.44.2.2 17.50. 17.50.1.2	75 mm dia. Sand cast iron S&S as per IS : 3989 Providing and fixing single equal plain junction of required degree : 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and cast iron S&S as per IS - 3989 Providing drip seal joints to sand cast iron /	Each Each Each	10.00 10.00 15.00		
55 56 57 58 59 60 61 62 63 64	17.44. 17.44.1.2 17.44.2.2 17.50. 17.50.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS: 3989 75x75x75 mm Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS: 3989 75x75x75 mm Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS: 3989 Providing drip seal joints to sand cast iron / centrifugally cast (spun) iron pipes and fittings of diameter.	Each Each Each Each	23.00 10.00 10.00 15.00		
54 55 56 57 58 59 60 61 62 63	17.44. 17.44.1.2 17.44.2.2 17.50. 17.50.1.2	75 mm dia. Sand cast iron S&S as per IS: 3989 Providing and fixing single equal plain junction of required degree: 100 x 100 x 100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree: 100x100x100 mm Sand cast iron S&S as per IS - 3989 75x75x75 mm Sand cast iron S&S as per IS - 3989 Providing and fixing single equal plain invert branch of required degree:	Each Each Each	10.00 10.00 15.00		

c -		Durantiding and finite transit of 15 to 1			
67		Providing and fixing trap of self cleansing			
		design with screwed down or hinged grating			
	17.60.1.2	with or without vent arm complete, including			
		cost of cutting and making good the walls and			
		floors:			-
68		100 mm inlet and 100 mm outlet			-
69	17.60.1.1	Sand cast iron S&S as per IS - 3989	Each	23.00	
70					
		Providing and fixing PTMT liquid soap			
		container 109 mm wide, 125 mm high and			
	17.71	112 mm distance from wall of standard shape			
		with bracket of the same materials with snap			
		fittings of approved quality and colour,			
		weighing not less than 105 gms.	Each	23.00	
71		Providing and fixing PTMT towel ring			
		trapezoidal shape 215 mm long, 200 mm wide			
	47.70	with minimum distances of 37 mm from wall			
	17.72	face with concealed fittings arrangement of			
		approved quality and colour, weighing not less			
		than 88 gms.	Each	23.00	
72		-			
	4	600 mm long towel rail with total length of			
	17.73.2	645 mm, width 78 mm and effective height of			
		88 mm, weighing not less than 190 gms.	Each	23.00	
73		Providing and fixing of 15 mm dia C.P wash			
	NS	basin mixer with wall flange,of following			
	1	make. (or equal approved)	Each	23.00	
74					
		Providing and fixing Chlorinated Polyvinyl			
		Chloride (CPVC) pipes, having thermal stability			
		for hot & cold water supply including all CPVC			
		plain & brass threaded fittings i/c fixing the			
		pipe with clamps at 1.00 m spacing. This			
		includes jointing of pipes & fittings with one			
		step CPVC solvent cement and the cost of			
		cutting chases and making good the same			
		including testing of joints complete as per			
		direction of Engineer in Charge			
75		Concealed work including cutting chases and			-
/3		making good the walls etc.			_
76	18.8.1	15 mm nominal outer dia .Pipes.	Rm	460.00	
77	10.0.1	Providing and fixing ball valve (brass) of	IXIII	400.00	
,,	18.18.	approved quality, High or low pressure, with			
	10.10.	plastic floats complete:			
78	18.18.1.	15 mm dia	Each	23.00	
79	10.10.1.	Providing and fixing of brass single flow	Lacii	23.00	
, ,		shower rose with 15 or 20 mm inlet -100mm			
	18.22	dia			
		lana l	Each	23.00	
80	-		Latii	23.00	
		Providing and fixing of 15 mm dia C.P brass			
	18.52.1	concealed stop cock with wall flange,of			
		following make. (or equal approved)	Each	23.00	
81	 	Providing and fixing of 15 mm dia brass angle	Lacii	23.00	
οī		valve (inlet fitting ball valve type) having			
	10 50 1				
	10.55.1	strainer screen complete with wall flange of			
		following make and model:(or equal	Each	112.00	
02	1	approved)	Each	112.00	
82	18.58	Providing and fixing PTMT grating of approved			
02	1	quality and colour			
83	10 50 2 1	1EO mm nominal size assure 100			
	18.58.2.1	150 mm nominal size square 100 mm	Fa-1-	46.00	
0.4	1	diameter of the inner hinged round grating	Each	46.00	
84 oc	ELECTRIC	PART B- (PLUM)	DIING WUKK)		-
85	ELECTRIC	AL WORK			

				1	T	
86						
		Wiring for light point/ fan point/ exhaust fan				
		point/ call bell point with 1.5 sq.mm FRLS PVC				
	1.1	insulated copper conductor single core cable				
	1.1	in surface / recessed steel conduit, with piano				
		type switch, phenolic laminated sheet,				
		suitable size MS box and earthing the point				
		with 1.5 sq.mm FRLS PVC insulated copper				
		conductor single core cable etc. as required				
87	1.1.2	Group B	Point	92.00		
88						
		Wiring for light/ power plug with 2X4 sq. mm				
		FRLS PVC insulated copper conductor single				
	1.5	core cable in surface/ recessed steel conduit				
	-	alongwith 1 No. 4 sq. mm FRLS PVC insulated				
		copper conductor single core cable for loop				
		earthing as required.	Meter	130.00		
89	1.22.1	75 mm X 75 mm X 60 mm deep	Each	23.00		
90		100 mm X 100 mm X 60 mm deep	Each	39.00		
91	1.22.6	200 mm X 125 mm X 60 mm deep	Each	13.00		
92	1.22.0	200 mm x 220 mm x 00 mm deep	Lucii	13.00		
J-2		Supplying and fixing following piano type				
	1.23	switch/ socket on the existing switch box/				
		cover including connections etc. as required.				
93	1.23.1	5/6 amps switch	Each	108.00		
94	1.23.3	15/16 A switch	Each	26.00		
95	1.23.4	3 pin 5/6 A socket outlet	Each	39.00		
96	1.23.5	6 pin 15/16 A socket outlet	Each	26.00		
97	1.23.8	Modular Bell push, ISI Marked	Each	23.00		
98	1.23.0	Supplying and fixing following size/ modules,	Lacii	23.00		
30		GI box alongwith modular base & cover plate				
	1.27	for modular switches in recess etc. as				
00	1 27 1	required.	Faab	22.00		
99		1 or 2 Module (75mmX75mm)	Each	23.00		
100		3 Module (100mmX75mm)	Each	62.00		
101	1.27.4	6 Module (200mmX75mm)	Each	13.00		
102	N 4 D	Providing and fixing of pvc 300 MM Exhaust				
	MR	fan with neccesary fetting make Govt	F- 1	22.00		
455		approved make - orient, bajaj	Each	23.00		
103						
	MR	Supplying and fixing Mirror light batten 2 feet				
	***	10w led with neccesary fetting make - orient,				
		Phillips or govt approved make	Each	23.00		
104						
	MR	Supplying and fixing Mirror light batten 4 feet				
	14117	20w led with neccesary fetting make - orient,				
		Phillipsor govt approved make	Each	23.00		
105		Supplying and fixing Call bell with neccesary				
	MR	fetting make - Genius, Anchoror govt				
		approved make	Each	23.00		
106		TOTAL Amount =PART C (ELE	CTRICAL WC	ORK)		-
107						
	-	TOTAL AMOUNT In words Rs.		Inclu	ding GST	_
						1